PATENT

<u>REMARKS</u>

Attached hereto is a marked-up version of the changes made to the specification by the current Preliminary Amendment. The attached page is captions "Version with markings to show changes made.

Respectfully submitted,

Dated: May 10, 2001

Ronald B. Hildreth

Patent Office Reg. No. 19,498

Attorney for Applicants 212-408-2544

RECEIVED

MAY 1 6 2001

TECH CENTER 1600/2000

Baker Botts LL.P 30 Rockefeller Plaza New York NY 10112



Version With Markings to Show Changes Made

This application is a continuation of copending International application PCT/IL99/00483 filed September 6, 1999, which is incorporated by reference herein, claiming priority from Israeli application Nos. 126112 filed September 7, 1998, and 126757 filed October 26,1998. The International application was published in English on March 16, 2000, by the International Bureau.

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:

C12N 15/63, 15/67, 15/11, 15/85, 5/10, C07K 14/525, A01K 67/027, A61K 48/00 (11) International Publication Number:

WO 00/14255

(43) International Publication Date:

16 March 2000 (16.03.00)

(21) International Application Number:

PCT/IL99/00483

A1

(22) International Filing Date:

6 September 1999 (06.09.99)

(30) Priority Data:

126112 126757

7 September 1998 (07.09.98)

IL 26 October 1998 (26.10.98)

(71) Applicant (for all designated States except US): YISSUM RESEARCH DEVELOPMENT COMPANY OF THE HE-BREW UNIVERSITY OF JERUSALEM [IL/IL]; Jabotinsky Street 46, P.O. Box 4279, 91042 Jerusalem (IL).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): KAEMPFER, Raymond [IL/IL]; Neve Shaanan Street 18, 93707 Jerusalem (IL). OSMAN, Farhat [IL/IL]; 20173 Sakhnin (IL). JARROUS, Nayef [IL/IL]; Street 304, Home #22, 20200 Shefaram (IL). BEN-ASOULI, Yitzhak [IL/IL]; Kfar Hanagid 206, 76875 (IL).
- (74) Agents: LUZZATTO, Kfir et al.; Luzzatto & Luzzatto, P.O. Box 5352, 84152 Beer-Sheva (IL).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR. BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP. KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN. YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With a revised version of the international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(88) Date of publication of the revised version of the international 4 May 2000 (04.05.00) search report:

(54) Title: REGULATION OF GENE EXPRESSION THROUGH MANIPULATION OF mRNA SPLICING AND ITS USES

(57) Abstract

A cis-acting nucleotide sequence which is capable of rendering the removal of intron/s from a precursor transcript encoded by a gene, which gene harbors at least one such cis-acting nucleotide sequence, occurring during the production of mRNA of said gene, dependent upon activation of a trans-acting factor. The trans-acting factor is an RNA-activated protein kinase which is capable of phosphorylating the α -subunit of eukaryotic initiation factor 2, or the RNA-activated protein kinase (PKR). The cis-acting nucleotide sequence can be derived from the 3' untranslated region of the human tumor necrosis factor α gene (TNF- α 3'-UTR). The cis-acting nucleotide sequence may comprise the nucleotide sequence substantially as denoted by SEQ ID NO:1; or biologically functional fragments, derivatives, mutants and homologues of the nucleotide sequence substantially as denoted by SEQ ID NO:1; or a nucleotide sequence whose complementary nucleotide sequence hybridizes, under conditions which allow for such hybridization to occur, with the nucleotide sequences substantially as denoted by SEQ ID NO:1 or biologically functional fragments, derivatives, mutants and homologues of the nucleotide sequence substantially as denoted by SEQ ID NO:1.

		Splicing by <u>2-</u> A	Inhibit P PKF	
A	5'02 CAT	p5'CAT	- .	nd
В	5'C: CAT 3'C 	p5'CAT(3'UTR-α)	-	nd
С	5'CL ext ex2 ex3 ex4 3'UTRCL	pTNF-α (α)	+	nd .
D	5'Ct ex1 ex2 ex3 ex4	pTNF-a(A3'UTR)	-	-
E	5'βext ex2 ex3 ex4 3'β An(β)	рТNF-β	-	-
F	5'βex1 ex2 ex3 ex4 3'CL SSS 1111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	pTNF-β(3'UTR-α)	+	nd
G	S'βox1 ex2 ex3 ex4	pTNF-β(Δ3'UTR)	- .	nd
н	5'Q ex1 ex2 ex3 ex4 3'β	pTNF-α(3'UTR-β) β)	-	nd
I	5 α ex1 ex2 ex3 ex4 [Institution of An (β)	pTNF-a(3'UTR-aEP)	+	+ .
J	5' flex1 ex2 ex3 ex4	pTNF-β(3'UTR-αEP)	+	+
K	5'CL ex1 ex2 ex3 ex4	pTNF-α(Δ3'UTR) 3EF	+ .	+

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

		ES	Spain	LS	Lesotho	SI	Slovenia
AL	Albania	Fi.	Finland	LT	Lithuania	SK	Slovakia
AM	Armenia			LU	Luxembourg	SN	Senegal
AT	Austria	FR	France	LV.	Latvia	SZ	Swaziland
AU	Australia	GA	Gabon	MC	Monaco	TD	Chad .
ΑZ	Azerbaijan	GB	United Kingdom	MD	Republic of Moldova	TG	Togo
BA	Bosnia and Herzegovina	GE ·	Georgia		•	· ti	Tajikistan
BB	Barbados	GH	Ghana	MG	Madagascar	TM	Turkmenistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TR	Turkey
BF	Burkina Faso	GR	Greece		Republic of Macedonia		•
ВG	Bulgaria	HU	Hungary	ML	Mali .	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA .	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	ΥŲ	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
C1	Côte d'Ivoire	КР	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
cz	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	•	LI	Liechtenstein	SD	Sudan		
	Germany	LK	Sri Lanka	SE	Sweden		-
DK	Denmark			SG	Singapore		
EE	Estonia .	LR	Liberia	30	o in gapore		

Inte Lional Application No PCT/IL 99/00483

A CLASSII IPC 7	FICATION OF SUBJECT MATTER C12N15/63 C12N15/67 C07K14/525 A01K67/027	C12N15/11 A61K48/00	C12N15/85	C12N5/10	
	International Patent Classification (IPC) or to both na	tional dassification	and IPC		
	SEARCHED.				
Minimum do IPC 7	cumentation searched (classification system followed C12N C07K A01K A61K				
Documentat	on searched other than minimum documentation to th	e extent that such d	ocuments are included in	the fields searched	
Electronic d	ata base consulted during the international search (na	ame of data base an	d, where practical, search	terms used)	
C. DOCUME	ENTS CONSIDERED TO BE RELEVANT				
Category *	Citation of document, with indication, where appropri	riate, of the relevant	passages	Relevant to	daim No
X	OSMAN F (REPRINT) ET AL: element in the 3'-UTR of mRNA renders splicing dep- activation of protein kin- EUROPEAN CYTOKINE NETWORK 9, NO. 3, PP. 479-479. PUI LIBBEY EUROTEXT LTD, 127 REPUBLIQUE, 92120 MONTROUP page 324, XP000867413 Abstract no. 479 abstract	human TNF-a endent on ase PKR" , (SEP 1998 BLISHER: JO AVE DE LA	alpha B) VOL. DHN	1-31	
X Furth	ner documents are listed in the continuation of box C	X	Patent family membe	rs are tisted in annex	
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed			or priority date and not in cited to understand the priority and comment of particular relectantot be considered not involve an inventive step document of particular relectantot be considered to indexemble to combined with the art document member of the step course of the step comment of the step comment in the art document member of the step invents, such combination in the art		one he
Date of the	actual completion of the international search		Date of mailing of the inte	mational search report	
2	1 January 2000		04/02/2000		
Name and n	nailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx 31 651 epo nl. Fax: (+31-70) 340-3016		Authorized officer Hornig, H		

2

Int. tional Application No PCT/IL 99/00483

C (Cvi-	NICE DOCUMENTS CONSIDERED TO BE BELEVANT	1
Category	Citation of document, with indication where appropriate of the relevant passages	Relevant to claim No
A	N. JARROUS ET AL.: "2-Aminopurine selectively inhibits splicing of tumor necrosis factor alpha mRNA" MOL. CELL. BIOL., vol. 16, no. 6, June 1996 (1996-06), pages 2814-2822, XP002128326 ASM WASHINGTON, DC,US cited in the application the whole document	
A	WO 94 21661 A (UNIV LELAND STANFORD JUNIOR) 29 September 1994 (1994-09-29) the whole document	
A	S. DAVIS AND J.C. WATSON: "In vitro activation of the interferon-induced, double-stranded RNA-dependent protein kinase PKR by RNA from the 3' untranslated regions of human alpha-tropomyosin" PROC. NATL. ACAD. SCI., vol. 93, January 1996 (1996-01), pages 508-513, XP002128327 NATL. ACAD. SCI., WASHINGTON, DC, US; cited in the application the whole document	
A	J. WANG AND J.L: MANLEY: "Regulation of pre-mRNA splicing in metazoa" CURRENT OPINION IN GENETICS & DEVELOPMENT, vol. 7, no. 2, April 1997 (1997-04), pages 205-211, XP000867380 CURRENT BIOLOGY LTD., PHILADELPHIA, US page 209, left-hand column, line 18 -right-hand column, line 44	
A	WO 97 27309 A (AGRONOMIQUE INST NAT RECH; ELOIT MARC (FR); ADAM MICHELINE (FR)) 31 July 1997 (1997-07-31) the whole document	
A	EP 0 309 237 A (GENENTECH INC) 29 March 1989 (1989-03-29) the whole document	
A	GROSKREUTZ D ET AL: "TRANSIENT EXPRESSION: INCREASED GENE EXPRESSION IN MAMMALIAN CELL LINES USING PADVANTAGE(TM) DNA AS CO-TRANSFECTANT" PROMEGA NOTES,XX,XX, vol. 48, page 8-12 XP002014330 the whole document	
1	US 5 559 019 A (GUI JIAN-FANG ET AL) 24 September 1996 (1996-09-24) the whole document	
	-/	

Int tional Application No PCT/IL 99/00483

(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	10-/
ategory	Citation of document with indication, where appropriate of the relevant passages	Refevant to claim No
· T ·	F. OSMAN ET AL.: "A cis-acting element in the 3'-untranslated region of human TNF-alpha mRNA renders splicing dependent on the activation of protein kinase PKR" GENES & DEVELOPMENT, vol. 13, no. 24, 15 December 1999 (1999-12-15), pages 3280-3293, XPO02128328 CSH LABORATORY PRESS, NEW YORK, US the whole document	1-31, 34-42
	·	

international application No

PCT/IL 99/00483

INTERNATIONAL SEARCH REPORT

Box I	Observations	where certa	in claims we	re found ui	nsearchabl	(Continuation	of item 1 of fir	st sh et)
								

Claims Nos: because they relate to subject matter not required to be searched by this Authority, namely: Remark: Although claims 43 and 44 are directed to a method of treatment of the human/animal	
body, the search has been carried out and based on the alleged effects of the compound/composition. 2 Claims Nos: because they relate to parts of the International Application that do not comply with the prescribed requirements to such	
an extent that no meaningful International Search can be carried out, specifically	
Claims Nos: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6 4(a).	
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)	
This International Searching Authority found multiple inventions in this international application, as follows:	
As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims	
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee	
of any additional fee 3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:	
of any additional fee 3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report	
of any additional fee 3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.: No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:	
of any additional fee 3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.: No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is	

Information on patent family members

Int. .tional Application No PCT/IL 99/00483

Patent document Publication cited in search report date			tent family sember(s)	Publication date	
WO 9421661	Α	29-09-1994	AU EP	6490894 A 0690869 A	11-10-1994 10-01-1996
WO 9727309	Α	31-07-1997	FR AU	2743818 A 1447997 A	25-07-1997 20-08-1997
EP 0309237	A	29-03-1989	US AT CA DE DE ES JP JP	5024939 A 111156 T 1340480 A 3851399 D 3851399 T 2061671 T 1165395 A 2738544 B	18-06-1991 15-09-1994 06-04-1999 13-10-1994 20-04-1995 16-12-1994 29-06-1989 08-04-1998
US 5559019		24-09-1996	NONE		

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's	or age	ent's file reference			fication of Transmittal of International
7310-73	11/W	O/99	FOR FURTHER ACTION	ON Prelimina	ary Examination Report (Form PCT/IPEA/416)
Internation	al appl	ication No.	International filing date (day/r	month/year)	Priority date (day/month/year)
PCT/IL99/00483			06/09/1999		07/09/1998
International C12N15/		ent Classification (IPC) or na	tional classification and IPC		
Applicant					
YISSUM	RES	EARCH DEVELOPME	ENT COMPANY OF THE.	.et al. 	
		ational preliminary exam smitted to the applicant a		pared by this Ir	nternational Preliminary Examining Authority
2. This I	REPC	PRT consists of a total of	7 sheets, including this cov	ver sheet.	
b (s	een a see R	mended and are the bas	sis for this report and/or she 07 of the Administrative Inst	ets containing	ion, claims and/or drawings which have rectifications made before this Authority the PCT).
I hese	ann	exes consist of a total of	JO Share.		
				· · · · · · · · · · · · · · · · · · ·	
o =1:			at a second second		
3. This r	eport	contains indications rela	ating to the following items:		
1	\boxtimes	Basis of the report			
II		Priority			
111		Non-establishment of o	pinion with regard to novelt	y, inventive ste	p and industrial applicability
IV		Lack of unity of invention	on		
V	Ø	Reasoned statement uncitations and explanation	nder Article 35(2) with regar ons suporting such stateme	d to novelty, in nt	ventive step or industrial applicability;
VI		Certain documents cite	ed .		
VII		Certain defects in the in	nternational application		
VIII	\boxtimes	Certain observations of	n the international application	on	
Date of sub	missio	on of the demand	Da	te of completion	of this report
		or the demand	.		-, -, -, -, -, -, -, -, -, -, -, -, -, -
02/04/20	00		05.	.01.2001	
		g address of the international	ıl Au	thorized officer	STONE WES MITTING
	Euro	ppean Patent Office 2298 Munich	M	arinoni, J-C	Carlotte Car
<i></i>	Tel.	+49 89 2399 - 0 Tx: 523656	6 epmu d		Tan James Tare
	ray.	+43 NY 2399 - 4455	I 7.	I L A I	00 0000 0560

INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No. PCT/IL99/00483

 Basis of the re 	port	
-------------------------------------	------	--

•	bas	as of the report				
	resp the	oonse to an invitation	Irawn on the basis of <i>(substitu</i> on under Article 14 are referre lo not contain amendments (R	d to in this repo	ort as "originally file	
	1,2, 20-	4,5,9,11-14, 45	as originally filed			
	3,6-	8,10,15-19	as received on	13/10/2000	with letter of	10/10/2000
	Clai	ims, No.:				
	1-54	1	as received on	13/10/2000	with letter of	10/10/2000
	Dra	wings, sheets:				
	1/14	1-14/14	as originally filed			
				·		
2.			guage, all the elements marke international application was f			
	The	se elements were a	available or furnished to this A	uthority in the f	ollowing language:	, which is:
		the language of a	translation furnished for the p	urposes of the i	nternational search	n (under Rule 23.1(b)).
		the language of pu	ublication of the international a	pplication (und	er Rule 48.3(b)).	
		the language of a 55.2 and/or 55.3).	translation furnished for the p	urposes of inter	national preliminar	y examination (under Rule
3.			cleotide and/or amino acid s ry examination was carried ou			
		contained in the in	nternational application in writte	en form.		
		filed together with	the international application in	computer read	dable form.	
		furnished subsequ	ently to this Authority in writte	n form.		,
		·	uently to this Authority in comp			
			at the subsequently furnished was pelication as filed has been fu		e listing does not g	go beyond the disclosure in
		The statement that listing has been full	at the information recorded in comments.	computer reada	ble form is identica	I to the written sequence

4. The amendments have resulted in the cancellation of:

INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No. PCT/IL99/00483

		the description,	pages:						
		the claims,	Nos.:						
		the drawings,	sheets:						
5.		This report has been considered to go bey	This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):						
		(Any replacement sh report.)	neet containing such amendments must be referred to under item 1 and annexed to this						
6.	Ado	ditional observations, i	if necessary:						

- V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- 1. Statement

Novelty (N)

Yes:

Claims 16, 19-24, 26, 30, 36, 37 and 41-54

No:

Claims 1-15, 17, 18, 25, 27-29, 31-35, 38 and 39

Inventive step (IS)

Yes: No:

Claims NONE Claims 1-54

Industrial applicability (IA)

Yes:

Claims 1-54

No:

Claims NONE

2. Citations and explanations see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

Re Item V

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

- 1. Reference is made to the following documents:
 - D1: D. PENNICA ET AL.: 'Human tumour necrosis factor: precursor structure, expression and homology to lymphotoxin' NATURE, vol. 312, 20/27 December 1984, pages 724-729
 - D2: N. JARROUS ET AL.: '2-Aminopurine selectively inhibits splicing of tumor necrosis factor alpha mRNA' MOL. CELL. BIOL., vol. 16, no. 6, June 1996, pages 2814-2822 cited in the application

D1 was not cited in the international search report. A copy of the document is appended hereto.

The subject-matter of claims 1-15, 17, 18, 25, 27-29, 31-35, 38 and 39 is not new 2. in the sense of Article 33(2) PCT.

D1 discloses the nucleotide and amino acid sequences of the human TNF- α gene, including SEQ. ID NO: 1 and 2 of the present application (see page 725, figure 1, nucleotides 1069-1173, and 1073-1116). Following the objection raised under item VIII-1, it is concluded that D1 discloses the sequence (i.e. the native gene) and a DNA construct having the inherent features claimed in claims 1-15, 17, 18 and 25 of the present application.

D2 discloses a vector (phTNF- α) comprising the TNF- α gene, including the 3' untranslated region, a carrier (salmon sperm DNA) and a host cell transformed with said vector wherein said cell is from the baby hamster kidney (BHK-21) cell line (see page 2815 column 1, lines 7, 17-21 and 25) as in claims 27-29 and 31-35 of the present application.

D2 also discloses a method of regulating gene expression at the mRNA level transforming a host cell with the above mentioned vector wherein the activity of the RNA activated eIF2akinase in said host cell is modulated by the use of 2-Aminopurine (see page 2820, column 1, lines 5-24) as in claims 38 and 39 of the present application.

Hence, claims 1-15, 17, 18, 25, 27-29, 31-35, 38 and 39 are not new in the sense of Article 33 (2) PCT.

3. The subject-matter of claims 16, 19-24, 26, 30, 36, 37, 41-54 does not involve an inventive step in the sense of Article 33 (3) PCT.

D2, which is considered to represent the closest prior art discloses, as indicated above, a method of regulating gene expression at the mRNA level transforming a host cell with the above mentioned vector wherein the activity of the RNA activated eIF2 α kinase in said host cell is modulated by the use of 2-Aminopurine (see page 2820, column 1, lines 5-24).

Furthermore, D2 clearly indicates that "Most likely, regulation by 2-AP is mediated through a particular sequence within the TNF- α primary transcript to produce general inhibition of the splicing of this transcript." (see page 2821 column 1, lines 38-40) and that "..deletion of a particular sequence from the TNF- α gene renders splicing of the encoded precursor transcripts resistant to inhibition by 2-AP, while introduction of said sequence into the TNF-β gene shifts the inhibitory effect of 2-AP on the TNF-β gene expression from transcription to splicing" is showed by the authors (see page 2821 column 1, lines 45-51). Taken in combination this two sentences make it clear that the sequence of interest in comprised within the TNFα transcript (i.e. not in any other region of the gene).

Moreover D2 states that "These findings strengthen the concept emerging from studies on IL-1ß and IL-2 gene expression that the rate of splicing of precursor RNA is tightly regulated and serves as a limiting step in expression of cytokine mRNA. The sensitivity of splicing of TNF- α precursor transcripts to 2-AP can serve as a valuable tool for further study of this type of post-transcriptional control".

The difference between D2 and the present application lies in the fact that in D2 the exact location of the particular sequence within the TNF- α primary transcript that mediates the general inhibition of the splicing of this transcript and of other genes in which it may be introduced is not disclosed.

The problem to be solved may therefore be regarded as how to define the exact location of said sequence.

The Applicant solves the problem by exactly locating said sequence through routine molecular genetics techniques.

Due to the clear teachings of D2, in order to solve the problem posed, the person skilled in the art would have been prompted to locate said sequence, would have exactly located it and would hence, have used said sequence for posttranscriptional regulation studies and applications.

Hence, the subject-matter of claims claims 16, 19-24, 26, 30, 36, 37, 41-54 does not fulfill the requirements of Article 33(3) PCT.

Re Item VIII

Certain observations on the international application

- The subject-matter of claim 1 is defined in terms of the result to be achieved (see 1. the Guidelines Ch. III, 4.7) but not in terms of positive technical features (see Rule 6 PCT) that could allow a clear characterization of the intended sequence and thereby allow to distinguish it from similar subject-matters of the prior art. The same objection applies mutatis mutandis to claim 9.
- The terms "homologue" and "derivatives" used in claims 4-7 and 10-13 is vague 2. and unclear and leaves the reader in doubt as to the meaning of the technical features to which it refers, thereby rendering the definition of the subject-matter of said claims unclear (Article 6 PCT).
 - The same objection applies to the expression "under conditions that allows for such hybridisation to occur" in claims 5, 7, 11 and 13.
- Claims 19, 20, 23, 24 and 26 refer to figures. Such is however not allowed (see 3. the Guidelines, Ch. III, 4.10).
- Claim 28 appears to refer back incorrectly to claim 23 thereby introducing doubt 4. as to the claimed subject-matter (Article 6 PCT).

Claims 47-50 refer to medical treatments. The Applicant is requested to note that 5. the present wording of said claims may not be acceptable upon to entry into the regional phase; in fact, the patentability can also be dependent upon the formulation of the claims. The EPO, for example, does not recognize as industrially applicable the subject-matter of claims to the use of a compound in medical treatment under Article 52(4) EPC, but may allow, however, claims to a known compound for first use in medical treatment and the use of such a compound for the manufacture of a medicament for a new medical treatment.

Y. YUN-LIFA MILENLITEN UD

This invention deals with another major level of control of gene expression which has received little attention up to now: mRNA splicing, which is the processing of precursor transcripts into mature mRNA containing only exon sequences, by excision of introns at the RNA level in the cell nucleus. The mRNA splicing step is a good candidate for control since evidence exists that this mechanism functions in vivo [12, 13]. There are several examples of genes requiring a splicing event for mRNA production [24] and an intron generally is included in pharmaceutically employed expression vectors [5, 6]. For complementary DNA (cDNA) expression, the contribution of the intron to final product formation seems to be cDNA-specific but the mechanism of intron action remains largely unknown [25]. To date, little effort has been directed at regulation expression of genes for biotechnological use or gene therapy at the mRNA splicing step. Regulation of mRNA splicing would be useful for regulating expression of genes that have been transferred, be it into cell lines, the germline or somatic tissues.

Expression of several cytokine genes is highly regulated at splicing of precursor transcripts [12, 13, 27-29]. Thus, shortly after the onset of induction of human interleukin-2 (IL-2) and interleukin-1β (IL-1β) genes, the flow of nuclear precursor transcripts into mature mRNA becomes blocked despite the fact that transcription, once activated by an inducer, continues unabated for an extensive period. Expression of IL-2 and IL-1β mRNA is superinduced by two orders of magnitude in the presence of translation inhibitors, without a significant increase in primary transcription or mRNA stability. Instead, splicing of precursor transcripts is greatly facilitated [13, 27].

The cDNA and predicted amino acid sequences of human tumor necrosis factor-α (TNF-α) are described, for example, in Pennica, D. et al., Nature 312(20/27): 724-729. Expression of the TNF-α gene is also regulated at splicing [13]. 2-Aminopurine (2-AP) blocks expression of TNF-α mRNA in primary human lymphoid cells. An adenine isomer, 2-AP inhibits specific kinases that phosphorylate the α-subunit of cukaryotic translation initiation factor 2 (eIF2α) [17], including the RNA-activated protein kinase, PKR [30]. 2-AP does not inhibit human TNF-α gene expression at transcription, nor does it affect mRNA stability. Instead, splicing of short-lived TNF-α precursor transcripts into mRNA is blocked when 2-AP

וווי טטידיטטיה פט פידי

10-10-2000

Summary of the Invention

The present invention relates to *cis*-acting nucleic acid sequences which render the removal of intron/s from a precursor transcript encoded by a gene which contains at least one such *cis*-acting nucleic acid sequence, which occurs during the production of mRNA of the gene, dependent upon activation of a *trans*-acting factor which is an RNA-activated protein kinase capable of phosphorylating the α -subunit of eukaryotic initiation factor 2 (eIF2 α).

In specific embodiments the RNA-activated protein kinase is the RNA-activated protein kinase (PKR).

In a preferred embodiment the *cis*-acting nucleic acid sequence of the invention is derived from the 3' untranslated region of the human tumor necrosis factor α gene (TNF- α 3'-UTR).

In especially preferred embodiments the cis-acting nucleic acid sequence of the invention comprises the nucleotide sequence as denoted by SEQ ID NO:1. The invention also relates to biologically functional fragments, derivatives, mutants and homologues of this sequence. The invention further relates to nucleotide sequences which can hybridize with complementary nucleotide sequences of SEQ ID NO:1 and of the biologically functional fragments, derivatives, mutants and homologues thereof.

In a most preferred embodiment the cis-acting nucleic acid sequence of the invention comprises SEQ ID NO:2 and biologically functional fragments, derivatives, mutants and homologues thereof.

SEQ ID NO:1 and SEQ ID NO:2 are provided, hereinafter, in Table 1.

The cis-acting nucleic acid sequences according to the invention are capable of rendering the removal of intron/s from a precursor transcript encoded by a gene which harbors at least one such cis-acting nucleic acid sequence, which occurs during the production of mRNA of the gene, dependent upon activation of a trans-acting factor which is an RNA-activated protein kinase capable of phosphorylating the α -subunit of

eukaryotic initiation factor 2 (eIF2a). The gene can be any gene of interest, including genes having a therapeutic, industrial, agricultural or any other commercial value or genes encoding proteins which are of therapeutic, industrial, agricultural or of any other commercial value.

In a further aspect, the invention relates to a DNA construct comprising a gene which contains at least one intron; a *cis*-acting nucleotide sequence which is capable of rendering the removal of intron/s from a precursor transcript encoded by said gene, which gene includes at least one such *cis*-acting nucleotide sequence, occurring during the production of mRNA of said gene, dependent upon activation of a *trans*-acting factor, said *trans*-acting factor being an RNA-activated protein kinase which is capable of phosphorylating the α-subunit of eukaryotic initiation factor 2, operably linked to said gene; and optionally further comprising additional control, promoting and/or regulatory elements.

In particular embodiments, said *cis*-acting nucleotide sequence in the DNA construct according to the invention comprises the nucleotide sequence as denoted by SEQ ID NO:1 or by SEQ ID NO:2, or biologically functional fragments, derivatives, mutants and homologues of the nucleotide sequence as denoted by SEQ ID NO:1 or by SEQ ID NO:2.

The invention relates in a further particular embodiment to a nucleotide sequence whose complementary sequence hybridizes, under conditions which allow for such hybridization to occur, with the said nucleotide sequences.

In the DNA constructs according to the invention, said gene is preferably a gene which encodes a protein is selected from the group consisting of enzymes, hormones, growth factors, cytokines, structural proteins and industrially or agriculturally applicable proteins, or is itself a therapeutic product, an agricultural product, or an industrially applicable product.

In the DNA constructs according to the invention said nucleotide sequence can be contained within an exon or within an intron of said gene.

In a further aspect, the invention relates to a vector comprising the *cis*-acting nucleotide sequence or a DNA construct according to the invention and a suitable DNA carrier, capable of transfecting a host cell with said *cis*-acting nucleotide sequence.

In an additional aspect, the invention relates to a host cell transfected with a cis-acting nucleotide sequence or with a DNA construct according to the invention, capable of expressing substantial amounts of said gene. The transfected host cells in accordance with the invention are preferably eukaryotic or yeast cells.

In addition, the invention relates to a non-human transgenic animal carrying in its genome a cis-acting nucleotide sequence or a DNA construct according to the invention, which is capable of expressing substantial amounts of said gene.

Additionally, the invention relates to a transgenic plant carrying in its genome a cis-acting nucleotide sequence or a DNA construct according to the invention, which is capable of expressing substantial amounts of said gene.

Furthermore, the invention relates to methods of regulating gene expression at the mRNA splicing level by (a) providing a *cis*-acting nucleotide sequence which is capable of rendering the removal of intron/s from a precursor transcript encoded by a gene which contains at least one intron dependent upon activation of a *trans*-acting factor, said *trans*-acting factor being an RNA-activated protein kinase which is capable of phosphorylating the α-subunit of eukaryotic initiation factor 2; (b) operably linking said *cis*-acting nucleotide sequence to said gene to give a DNA construct; (c) optionally combining the construct thus obtained with a suitable DNA carrier and optionally operably linking the same to suitable additional expression control, promoting and/or regulatory elements to give a transfection vector which is capable of transfecting a host cell; (d) transfecting a host cell with a *cis*-acting nucleotide sequence of the invention, or with a DNA construct of the invention or with the transfection vector, wherein the host cell is capable of expressing an RNA-activated protein kinase which is capable of phosphorylating the α-subunit of eukaryotic

Brief Description of the Drawings

Figure 1A-1K Gene constructs used

Introns are white boxes; ex, exon; 3'UTR α , TNF- α 3'-UTR; A₁₁, polyadenylation and cleavage site of TNF- α gene (α), TNF- β gene (β) or SV40; nd, not determined; 5' α , 3' α and 3' β are defined in the text. E, EcoRI site; P, PstI site.

Figure 2A-2F TNF-\alpha 3'-UTR sequences are needed for inhibition of mRNA splicing by 2-AP

BHK-21 cells were transfected with pTNF- α (A, B-D), p5' α CAT (E) or pTNF- $\alpha(\Delta 3'UTR)$ DNA (F) and co-transfected with pSV₂CAT DNA (B, F). 2-AP was present from time of transfection at the concentrations shown (A), or from 18 h thereafter at 10 mM (B-F). Cell viability remained constant. Total RNA was isolated at times shown after transfection and subjected to RNase protection analysis with ³²P-labeled TNF-α antisense RNA probes P (A, B, F) to quantitate correctly initiated TNF- α RNA (A: 169-nt band), TNF-& RNA carrying a correct 3' end (A: 83-nt band), TNF-a precursor transcripts (B, F: 700-nt band) or spliced RNA (B, F: 341-nt band). In (B), upper autoradiogram shows a higher exposure of 700-nt band. Autoradiogram of (B) was subjected to densitometry; intensity of 700-nt band (C) and 341-nt band (D), expressed in the absence (O, □) or presence of 2-AP (,), is plotted. In B, E and F, CAT mRNA protects 250 nt of probe. In A and E, \alpha-actin probe detects a 215-nt portion of mRNA. In autoradiograms A and E, left lane shows untransfected cells and in F, cells transfected with pSV2CAT DNA alone.

Figure 3A-3E TNF-α 3'-UTR sequences suffice to confer splicing control by 2-AP

BHK-21 cells were transfected with pTNF- β (A, B). pTNF- β (3'UTR- α) (C, D) or pTNF- α (3'UTR- β) DNA (E) and

which allow for such hybridization to occur, with the nucleotide sequences of SEQ ID NO:1.


A most preferred cis-acting nucleotide sequence according to the invention comprises (a) the nucleotide sequence as denoted by SEQ ID NO:2; or (b) biologically functional fragments, derivatives, mutants and homologues of the nucleotide sequence as denoted by SEQ ID NO:2.

Another preferred cis-acting nucleotide sequence according to the invention comprises a nucleotide sequence whose complementary nucleotide sequence hybridizes, under conditions which allow for such hybridization to occur, with the nucleotide sequences of SEQ ID NO:2.

SEQ ID NO:1 and SEQ ID NO:2 are shown in the following Table 1.

Table 1

SEQ ID NO:2



As shown in Example 7 and Fig. 5B, 3'UTR-αEP RNA forms a stable, 5'-proximal 48-nt stem-loop containing 17 base pairs (DG= -59 kJ at 30°C). The DNA encoding this stem loop is denoted herein by SEQ ID NO:2.

The term "functional" as used herein is to be understood as any such sequence which would render the removal of introns from precursor mRNA transcripts encoded by a gene which harbors such sequences, dependent upon activation of a *trans*-acting factor which is an RNA-activated protein kinase capable of phosphorylating eIF2 α .

In a further aspect the invention relates to a DNA construct comprising a gene which contains at least one intron; a cis-acting nucleotide sequence which is capable of rendering the removal of intron/s from a precursor transcript encoded by said gene, which gene includes at least one such cis-acting nucleotide sequence, occurring during the production of mRNA of said gene, dependent upon activation of a trans-acting factor, said trans-acting factor being an RNA-activated protein kinase which is capable of phosphorylating the α -subunit of eukaryotic initiation factor 2, operably linked to said gene; and optionally further comprises additional control, promoting and/or regulatory elements.

The control, promoting and/or regulatory elements are suitable transcription promoters, transcription enhancers and mRNA destabilizing elements, or any other suitable elements known to those skilled in the art.

In a specific embodiment, the *cis*-acting nucleotide sequence contained within a DNA construct of the invention comprises the nucleotide sequence as denoted by SEQ ID NO:1; or biologically functional fragments, derivatives, mutants and homologues of the nucleotide sequence as denoted by SEQ ID NO:1.

In another specific embodiment, the cis-acting nucleotide sequence contained within a DNA construct of the invention comprises a nucleotide sequence whose complementary sequence hybridizes, under conditions which allow for such hybridization to occur, with the nucleotide sequences denoted by SEQ ID NO:1 or with the biologically functional fragments, derivatives, mutants and homologues thereof.

In a particularly preferred embodiment the cis-acting nucleotide sequence contained within the DNA construct of the invention comprises the nucleotide sequence as

denoted by SEQ ID NO:2; or biologically functional fragments, derivatives, mutants and homologues of the nucleotide sequence as denoted by SEQ ID NO:2.

In another particularly preferred embodiment the cis-acting nucleotide sequence contained within the DNA construct of the invention comprises a nucleotide sequence whose complementary sequence hybridizes, under conditions which allow for such hybridization to occur, with the nucleotide sequence denoted by SEQ ID NO:2 or with the biologically functional fragments, derivatives, mutants and homologues thereof.

The cis-acting nucleotide sequence comprised in the DNA constructs of the invention may be contained within an exon or within an intron of the gene.

In the DNA construct of the invention said gene may encode a protein selected from the group consisting of enzymes, hormones, growth factors, cytokines, structural proteins and industrially or agriculturally applicable proteins, or the gene is itself a therapeutic product, an agricultural product, or an industrially applicable.

Specific DNA constructs according to the invention are such in which the gene is the human TNF- α gene. Examples for such constructs are the plasmid pTNF- α (Fig. 1C) and the plasmid pTNF- α (3'UTR- α EP) (Fig. 1I), in both of which the *cis*-acting element is contained within an exon of the gene. The *cis*-acting element may also be contained within an intron of said gene, as in, for example, the plasmid pTNF- α (Δ 3'UTR)i3EP (Fig. 1K).

Other specific DNA constructs are such in which the gene is the human TNF- β gene. Examples for these constructs are the plasmid pTNF- β (3'UTR- α) (Fig. 1F) and the plasmid pTNF- β (3'UTR- α EP) (Fig. 1J), in both of which the *cis*-acting element is contained within an exon of the gene.

In a further aspect, the invention relates to a transfection vector comprising the cis-acting element of the invention, or functional fragments, derivatives, homologues or mutants thereof, optionally operably linked to suitable additional control, promoting and/or regulatory sequences. The vectors of the invention are designed to

7310/7311/WO/99 10-10-2000

V. VON TEPA MUENCHEN US

facilitate the introduction of the cis-acting element into a host cell.

The vectors may contain suitable additional control, promoting and/or regulatory sequences of cellular and/or viral origin. The invention relates also to host cells transfected with a gene of interest operably linked to the cis-acting element of the invention, or with the cis-acting element of the invention itself, and to their various uses.

Specifically, the invention relates to a host cell transfected with a DNA construct or an expression vector according to the invention. Alternatively, the host cell may be transfected with DNA encoding a cis-acting element according to the invention itself. Host cells according to the invention can also be cells only transfected with the cis-acting nucleotide sequence of the invention.

The host cells according to the invention may be eukaryotic or yeast cells. Examples of eukaryotic cells are, *inter alia*, mammalian hemopoietic cells, fibroblasts, epithelial cells, or lymphocytes.

Specific host cells which may be transfected are the baby hamster kidney (BHK-21) cell line or the Chinese hamster ovary (CHO) cell line.

With the development of gene transfer techniques that allow the generation of transgenic animals came the possibility of producing animal bioreactors as an alternative strategy to cell culture systems for protein production [25]. For instance, protein secretion in the milk of large mammals could provide a cost effective route for the production of large amounts of valuable proteins. As yet this technology is still in development and needs optimization, and there is a general requirement for methods to improve productivity. The *cis*-acting nucleotide sequences according to the invention may help attain this goal by improved regulation of the expression of a desired protein.

Thus, the invention also relates to a non-human transgenic animal which carries in its genome a cis-acting nucleotide sequence or DNA construct in accordance with the

invention, which transgenic animal is capable of expressing substantial amounts of protein encoded by said gene.

The non-human transgenic animals of the invention may be used in a method of producing recombinant enzymes, hormones, growth factors, cytokines, structural proteins or other industrially or agriculturally applicable proteins, also encompassed by the present invention, which process comprises the steps of (a) providing a transgenic animal transformed with a DNA construct according to the invention, in which said gene encodes such enzyme, hormone, growth factor, cytokine, structural protein or another industrially or agriculturally applicable protein, said transgenic animal being capable of expressing said gene in substantial amounts; (b) growing the transgenic animal provided in (a) under suitable conditions to allow the said gene to be expressed; and (c) isolating the protein encoded by said gene from said animal, or from an egg or body secretion thereof. Techniques in which the gene is expressed, for example, in cattle's milk and chicken eggs may be used, and the desired protein encoded by the gene isolated.

Regulated expression could be achieved by several routes. To date, transcriptional regulation has received most attention [1-4], while little effort has been directed at improving efficiency of pre-mRNA processing. In the broader context, mechanisms allowing the regulation of RNA processing would assist gene transfer, be it into cell lines, the germline or somatic tissues. Transgenic animals, provide an appropriate model for testing gene therapy constructs, where an ability to regulate expression is of paramount importance.

The present discovery of the cis-acting element in the human TNF- α 3'-UTR that renders splicing of TNF-a mRNA sensitive to inhibition by 2-AP, provides a unique and novel tool for bringing expression of a desired gene under the control of this mechanism. Such regulation can be implemented by introducing the cis-acting element into expression vectors and generating cell lines in which the expression of PKR can be manipulated. The exonic cis-acting element from the TNF-a gene of this invention, is a portable element that confers splicing control. Since upon transport into the

CLAIMS:

- 1. A cis-acting nucleotide sequence which is capable of rendering the removal of intron/s from a precursor transcript encoded by a gene, which gene harbors at least one such cis-acting nucleotide sequence, occurring during the production of mRNA of said gene, dependent upon activation of a trans-acting factor, said trans-acting factor being an RNA-activated protein kinase which is capable of phosphorylating the α-subunit of eukaryotic initiation factor 2.
- 2. A cis-acting nucleotide sequence according to claim 1 wherein said trans-acting factor is the RNA-activated protein kinase (PKR).
- 3. A cis-acting nucleotide sequence according to claim 1 or claim 2 derived from the 3' untranslated region of the human tumor necrosis factor α gene (TNF- α 3'-UTR).
- 4. A cis-acting nucleotide sequence according to any one of claims 1 to 3 which comprises:
 - a) the nucleotide sequence as denoted by SEQ ID NO:1; or
 - b) functional fragments, derivatives, mutants and homologues of the nucleotide sequence as denoted by SEQ ID NO:1, that are capable of rendering the removal of intron/s from a precursor mRNA encoded by a gene, which gene harbors at least one such cis-acting nucleotide sequence, dependent upon activation of a trans-acting factor, said trans-acting factor being an RNA-activated protein kinase capable of phosphorylating eIF2α.
- 5. A cis-acting nucleotide sequence according to any one of claims 1 to 3 which comprises a nucleotide sequence whose complementary nucleotide sequence hybridizes, under conditions which allow for such hybridization to occur, with the nucleotide sequence as denoted by SEQ ID NO:1 or with the functional fragments, derivatives, mutants and homologues defined in claim 4.

- 6. A cis-acting nucleotide sequence according to any one of claims 4 and 5 which comprises:
 - a) the nucleotide sequence as denoted by SEQ ID NO:2; or
 - b) functional fragments, derivatives, mutants and homologues of the nucleotide sequence as denoted by SEQ ID NO:1, that are capable of rendering the removal of intron/s from a precursor mRNA encoded by a gene, which gene harbors at least one such cis-acting nucleotide sequence, dependent upon activation of a trans-acting factor, said trans-acting factor being an RNA-activated protein kinase capable of phosphorylating eIF2α.
- 7. A cis-acting nucleotide sequence according to any one of claims 1 to 3 and 6 which comprises a nucleotide sequence whose complementary nucleotide sequence hybridizes, under conditions which allow for such hybridization to occur, with the nucleotide sequences as denoted by SEQ ID NO:2 or with the functional fragments, derivatives, mutants and homologues defined in claim 6.
- 8. A cis-acting nucleotide sequence according to any one of claims 1 to 7 wherein said gene encodes a protein selected from the group consisting of enzymes, hormones, growth factors, cytokines, structural proteins and industrially or agriculturally applicable proteins, or is itself a therapeutic product, an agricultural product, or an industrially applicable product.
- 9. A DNA construct comprising:-
 - a gene which contains at least one intron;
 - a cis-acting nucleotide sequence which is capable of rendering the removal of intron/s from a precursor transcript encoded by said gene, which gene includes at least one such cis-acting nucleotide sequence, occurring during the production of mRNA of said gene, dependent upon activation of a trans-acting factor, said trans-acting factor being an RNA-activated protein kinase which is capable of phosphorylating the α-subunit of eukaryotic initiation factor 2, operably linked to said gene; and

.10-11/2 U · 11.57 ·

- optionally further comprising additional control, promoting and/or regulatory elements.
- 10. A DNA construct according to claim 9 wherein said cis-acting nucleotide sequence comprises:
 - a) the nucleotide sequence as denoted by SEQ ID NO:1; or
 - b) functional fragments, derivatives, mutants and homologues of the nucleotide sequence as denoted by SEQ ID NO:1, that are capable of rendering the removal of intron/s from a precursor mRNA encoded by a gene, which gene harbors at least one such cis-acting nucleotide sequence, dependent upon activation of a trans-acting factor, said trans-acting factor being an RNA-activated protein kinase capable of phosphorylating eIF2a.
- 11. A DNA construct according to claims 9 wherein said *cis*-acting nucleotide sequence comprises a nucleotide sequence whose complementary sequence hybridizes, under conditions which allow for such hybridization to occur, with the nucleotide sequences as denoted by SEQ ID NO:1 or with the functional fragments, derivatives, mutants and homologues defined in claim 5.
- 12. A DNA construct according to claim 9 wherein said *cis*-acting nucleotide sequence comprises:
 - a) the nucleotide sequence as denoted by SEQ ID NO:2; or
 - b) functional fragments, derivatives, mutants and homologues of the nucleotide sequence as denoted by SEQ ID NO:2, that are capable of rendering the removal of intron/s from a precursor mRNA encoded by a gene, which gene harbors at least one such cis-acting nucleotide sequence, dependent upon activation of a trans-acting factor, said trans-acting factor being an RNA-activated protein kinase capable of phosphorylating eIF2α.

- 13. A DNA construct according to claims 12 wherein said cis-acting nucleotide sequence comprises a nucleotide sequence whose complementary sequence hybridizes, under conditions which allow for such hybridization to occur, with the nucleotide sequences as denoted by SEQ ID NO:2 or with the functional fragments, derivatives, mutants and homologues defined in claim 7.
- 14. A DNA construct according to any one of claims 9 to 13 wherein said control, promoting and/or regulatory elements are suitable transcription promoters, transcription enhancers and mRNA destabilizing elements.
- 15. A DNA construct according to claim 9 wherein said gene encodes a protein selected from the group consisting of enzymes, hormones, growth factors, cytokines, structural proteins and industrially or agriculturally applicable proteins, or is itself a therapeutic product, an agricultural product, or an industrially applicable product.
- 16. A DNA construct according to any one of claims 9 to 15 wherein said nucleotide sequence is contained within an exon of said gene.
- 17. A DNA construct according to any one of claims 9 to 15 wherein said nucleotide sequence is contained within an intron of said gene.
- 18. A DNA construct according to any one of claims 9 to 17 wherein said gene is the human TNF-α gene.
- 19. A DNA construct according to claim 18 being the plasmid pTNF-α as shown in Figure 1C, in which said cis-acting element is contained within an exon of the human TNF-α gene.
- 20. A DNA construct according to claim 19 being the plasmid pTNF-α(3'UTR-αΕΡ), as shown in Figure 11.
- 21. A DNA construct according to any one of claims 9 to 17 wherein said gene is

the human TNF-ß gene.

- 22. A DNA construct according to claim 21 in which said *cis*-acting element is contained within an exon of the human TNF-β gene.
- 23. A DNA construct according to claim 22 being the plasmid pTNF- β (3'UTR- α) as shown in Figure 1F.
- 24. A DNA construct according to claim 22 being the plasmid pTNF-β(3'UTR-αΕΡ), as shown in Figure 1J.
- 25. A DNA construct according to claim 18 in which said gene is the human TNF-α gene and said cis-acting element is contained within an intron of said gene.
- 26. A DNA construct according to claim 25 being the plasmid pTNFα(Δ3'UTR)i3EP, as shown in Figure 1K.
- 27. A vector comprising a cis-acting nucleotide sequence according to any one of claims 1 to 8 or a DNA construct according to any one of claims 9 to 26 and a suitable DNA carrier, capable of transfecting a host cell with said cis-acting nucleotide sequence.
- 28. A vector according to claim 23 optionally further comprising additional expression, control, promoting and/or regulatory elements operably linked thereto.
- 29. A vector according to claim 28 wherein said carrier is salmon sperm DNA.
- 30. A vector according to claim 28 wherein said carrier is viral DNA.
- 31. A host cell transfected with a DNA construct according to any one of claims 9 to 26.
- 32. A host cell transfected with a vector according to claim 27.

- 33. A host cell according to claim 31 or 32 being a eukaryotic or yeast cell.
- 34. A host cell according to claim 33 being a mammalian hemopoietic cell, fibroblast, epithelial cell, or lymphocyte.
- 35. A host cell according to claim 31 wherein said eukaryotic cell is the baby harnster kidney (BHK-21) cell line or the Chinese harnster ovary (CHO) cell line.
- 36. A non-human transgenic animal carrying in its genome a DNA construct according to any one of claims 9 to 26, said transgenic animal being capable of expressing substantial amounts of said gene.
- 37. A non-human transgenic animal transformed with an expression vector according to claim 27, said transgenic animal being capable of expressing substantial amounts of said gene.
- 38. A method of regulating gene expression at the mRNA splicing level comprising the steps of:
 - a) providing a cis-acting nucleotide sequence which is capable of rendering the removal of intron/s from a precursor transcript encoded by a gene which contains at least one intron dependent upon activation of a trans-acting factor, said trans-acting factor being an RNA-activated protein kinase which is capable of phosphorylating the α-subunit of eukaryotic initiation factor 2;
 - b) operably linking said cis-acting nucleotide sequence to said gene to give a DNA construct;
 - c) optionally linking to the construct obtained in step (b) additional expression control, promoting and/or regulatory elements to give an expression vector;
 - d) transforming a host cell with the DNA construct obtained in (b) or with the expression vector obtained in (c), said host cell being capable of

expressing an RNA-activated protein kinase which is capable of phosphorylating the α -subunit of eukaryotic initiation factor 2, to give a transformed host cell capable of expressing said gene in substantial amounts, wherein the expression and/or activity of the RNA-activated eIF2 α kinase in said host cell is modulated.

- 39. A method according to claim 38 wherein the activity of the RNA-activated eIF2α kinase in said host cell is modulated by use of 2-aminopurine or other adenine derivatives.
- 40. A method according to claim 38 wherein the activation of the RNA-activated eIF2α kinase in said host cell is modulated by use of a transdominant negative mutant of PKRΔ6.
- 41. A method according to claim 38 wherein the activation of the RNA-activated elF2α kinase in said host cell is chemically modulated.
- 42. A method according to claim 41 wherein said modulation is effected by Ca²⁻ ions.
- 43. A method according to claim 38 wherein the activity of the RNA-activated elF2α kinase in said host cell is modulated by use of a vector expressing viral proteins.
- 44. A method according to claim 43 wherein said vector is vaccinia E3L protein or vaccinia K3L protein.
- 45, A method according to claim 38 wherein the activity of the RNA-activated eIF2α kinase in said host cell is modulated by use of a vector expressing viral RNA.
- 46. A method according to claim 45 wherein said vector is an adenovirus VA RNA or the Epstein-Barr virus Eber RNA.
- 47. A method for ex vivo treating an individual suffering an acquired or hereditary

pathological disorder in which a therapeutic product is not made by said individual, or made is in abnormally low amounts or in a defective form or is made in essentially normal amount to be increased comprising:

- a) providing a DNA construct according to any one of claim 9 to 26 or an expression vector according to any one of claims 27 to 30 wherein said gene encodes said therapeutic product;
- b) obtaining cells from an individual suffering said disorder and optionally culturing said cells under suitable conditions;
- c) transfecting the cells obtained in (b) with a DNA construct or expression vector provided in (a); and
- d) re-introducing said cells obtained in (c) into said individual.
- 48. A method of ex vivo treating an individual suffering from a pathological disorder requiring increase of expression of a therapeutic product normally made by said individual in physiological amount comprising:
 - a) providing DNA construct according to any one of claims 9 to 26 or an expression vector according to any one of claims 27 to 30, wherein said gene encodes said therapeutic product;
 - b) obtaining cells from an individual suffering said disorder and optionally culturing said cells under suitable conditions;
 - c) transfecting the cells obtained in (b) with a DNA construct or expression vector provided in (a); and
 - d) re-introducing said cells obtained in (c) into said individual.
- 49. A method of providing a therapeutic protein product to a mammal comprising administering to the mammal a DNA construct according to any one of claims 9 to 26, wherein said gene encodes said therapeutic protein product.
- 50. A method of providing a therapeutic protein product to a mammal comprising administering to the mammal a therapeutically effective amount of transformed

host cells according to any one of claims 31 to 35, wherein said gene encodes said therapeutic protein product.

- 51. A pharmaceutical composition comprising as active ingredient a therapeutically effective amount of expression vectors according to any one of claims 27 to 30 or of transformed host cells according to any one of claims 31 to 35.
- 52. A method of producing a recombinant therapeutic or industrially or agriculturally applicable protein comprising the steps of:
 - a) providing a DNA construct according to any one of claim 9 to 26 or an expression vector according to any one of claims 27 to 30 wherein said gene encodes said protein;
 - b) transfecting a host cell with a DNA construct or expression vector provided in (a) to give a host cell capable of expressing said protein in substantial amount; and
 - c) culturing cells obtained in (b) under suitable culture conditions; and
 - d) isolating said protein from the cell culture obtained in (c).
- 53. A method of producing a recombinant therapeutic or industrially or agriculturally applicable protein comprising the steps of:
 - a) providing host cells transfected with a DNA construct according to any one of claim 9 to 26 or an expression vector according to any one of claims 27 to 30 wherein said gene encodes said protein, which are capable of expressing said protein in substantial amount;
 - b) culturing cells provided in (a) under suitable culture conditions; and
 - c) isolating said protein from the cell culture obtained in (b).
- 54. A method of producing a recombinant enzyme, hormone, growth factor, cytokine, structural protein or another industrially or agriculturally applicable protein, comprising the steps of:-

1(-10-2000

- a) providing a transgenic animal transformed with a DNA construct according to any one of claims 9 to 26, wherein said gene encodes an enzyme, a hormone, a growth factor, a cytokine, a structural protein or an industrially or agriculturally applicable protein, said transformed animal being capable of expressing said gene in substantial amounts;
- b) growing the transgenic animal provided in (a) under suitable conditions to allow the said gene to be expressed; and
- c) isolating the protein encoded by said gene from said animal, or from an egg or body secretion thereof.

REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty

For receiving Office use only
International Application No.
International Filing Date
Name of receiving Office and "PCT International Application"

	(if desired) (12 characters ma	iximum) 7310-7311/WO/99		
Box No. I TITLE OF INVENTION REGULATION OF GENE EXPRESSION THROUGH MA				
Box No. H APPLICANT				
Name and address:		This person is also an inventor.		
YISSUM RESEARCH DEVELOPMENT COMPANY OF THE HEBREW UNIVERSITY OF JERUSALEM		Telephone No.		
46 Jabotinsky Street P.O.Box 4279	Facsimile No.			
Jerusalem 91042 Israel		Teleprinter No.		
State (i.e. country) of nationality: IL St	ate (i.e. country) of residence: I	L .·		
	d States except the Unit lates of America America	ed States of the States indicated in the Supplemental Box		
Box No. III FURTHER APPLICANT(S) AND/OR	(FURTHER) INVENTOR(S)			
Name and address:		This person is:		
KAEMPFER, Raymond		applicant only		
18 Neve Shaanan Street Jerusalem 93707		applicant and inventor		
Israel		inventor only		
State (i.e. country) of nationality: IL	tate (i.e. country) of residence:	L		
	d States except the Unit	ted States of the States indicated in the Supplemental Box		
Further applicants and/or (further) inventors are indic	ated on a continuation sheet			
Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE				
The person identified below is hereby/has been appointed to of the applicant(s) before the competent International Auth	o act on behalf agent	common representative		
Name and address:		Telephone No.		
		(972-7) 6497-871		
LUZZATTO, Kfir LUZZATTO & LUZZATTO		Facsimile No.		
P.O.Box 5352		(972-7) 6497-125		
Beer-Sheva 84 152 Israel		Teleprinter No.		
Mark this check-box where no agent or common represe	ntative is/has been appointed and	the space above is used instead to		

Form PCT/RO/101 (first sheet) (5 July 1994)

Sheet No. ...2....

Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)					
If none of the following sub-boxes is used, this sheet is not to be included in the request					
Name and address:					
	This person is:				
OSMAN, Farhat	applicant only				
Sakhnin 20173	applicant and inventor				
Israel	applicant and inventor				
	inventor only				
State (i.e. country) of nationality: IL State (i.e. country) of residen	ice: IL				
	United States of the States indicated in				
	nerica only the Supplemental Box				
Name and address:	This person is:				
JARROUS, Nayef					
Str. 304, Home #22	applicant only				
Shefaram 20200 Israel	applicant and inventor				
isiaei	inventor only				
State (i.e. country) of nationality: IL State (i.e. country) of residen	ice; IL				
Time bergen is abbream.	e United States of the States indicated in the Supplemental Box				
Name and address:					
	This person is:				
BEN-ASOULI, Yitzhak	applicant only				
K far Hanagid 206 76875					
Israel					
	applicant and inventor				
	inventor only				
State (i.e. country) of nationality: IL State (i.e. country) of residen					
	the States indicated in the Supplemental Box				
Name and address:					
	This person is:				
	applicant only				
·					
	applicant and inventor				
	inventor only				
State (i.e. country) of nationality: State (i.e. country) of residence:					
This person is applicant all designated all designated States except the United States of the States indicated in					
	merica only the Supplemental Box				
Further applicants and/or (further) inventors are indicated on a continuation shee	t				

Form PCT/RO/101 (continuation sheet) (July 1993)

Box	Box No. V DESIGNATION OF STATES					
The following designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes; at least one must be marked):						
	ional Pat	ent				
\boxtimes	AP	ARIPO Patent: GII Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SL Sierra Leone, SZ Swaziland,				
521		UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT				
\boxtimes	EA	Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting				
		State of the Eurasian Patent Convention and of th	e PCT			
\boxtimes	EP	European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK				
انت	~-	Denmark, ES Spain, F1 Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC				
		Monaco, NL Netherlands, PT Portugal, SE Swed	len, an	d any oth	er State which is a Contracting State of the European Patent	
		Convention and of the PCT				
\boxtimes	OA	OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, GW Guinea-Bissau, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other				
		Gabon, GN Guinea, GW Guinea-Bissau, ML Ma	III, I VII Menetii	C Maurila va Stata o	ima, M.S. Miger, SN Senegal, TD Chad, TG Togo, and any other of the PCT (if other kind of protection or treatment desired,	
		specify on dotted line)	macm	ig Sinte u	it the 13.1 (if other kind of protection of treatment destreat,	
Not	ional Pat	ent (If other kind of protection or treatment des	ired s	necify on	a dotted line):	
\boxtimes	AE	United Arab Emirates	\boxtimes	LS	Lesotho	
\boxtimes	AL.	Albania	\boxtimes	LT	Lithuania	
	AM	Armenia	\boxtimes	LU	Luxembourg	
\boxtimes	AT	Austria	\boxtimes	LV	Latvia	
X	AU	Australia	\boxtimes	MD	Republic of Moldova	
X	AZ	Azerbaijan	\boxtimes	MG	Madagascar	
×	BA	Bosnia and Herzegovina	$\overline{\boxtimes}$	MK	The former Yugoslav Republic of Macedonia	
Ø	BB	Barbados				
\boxtimes	\mathbf{BG}	Bulgaria	\boxtimes	MN	Mongolia	
\boxtimes	BR	Brazil	\boxtimes	MW	Malawi	
\boxtimes	BY	Belarus	\boxtimes	·MX	Mexico	
	CA	Canada	\boxtimes	NO	Norway	
\boxtimes	CH and		\boxtimes	NZ	New Zealand	
\boxtimes	CN	China	\boxtimes	PL	Poland	
\boxtimes	CU	Cuba	\boxtimes	PT	Portugal	
NXXXXXXXXX	CZ	Czech Republic	\boxtimes	RO	Romania	
\boxtimes	DE	Germany	\boxtimes	RU	Russian Federation	
\boxtimes	DK	Denmark	\boxtimes	SD	Sudan	
\boxtimes	EE	Estonia	\boxtimes	SE	Sweden	
\boxtimes	ES	Spain	\boxtimes	SG	Singapore	
X	FI	Finland	\boxtimes	SI	Slovakia	
	GB	United Kingdom	\boxtimes	SK SL	Sierra Leone.	
띯	GD GD	Grenada	\boxtimes	TJ	Tajikistan	
	GE	Georgia		TM	Turkmenistan	
	GH	Gambia	×	TR	Turkey	
	GM	Croatia	岗	TT	Trinidad and Tobago	
	HR	Hungary	X	UA	Ukraine	
図	HU ID	Indonesia	X	UG	Uganda	
		Israel	\boxtimes	US	United States of America	
日台	II.	India	\boxtimes	UZ	Uzbekistan	
	IN IS	lceland	\boxtimes	VN	Viet Nam	
	JP	Japan		YU	Yugoslavia	
恩	ъr КЕ	Kenya	X	ZA	South Africa	
日景	KG	Kyrgyzstan	X	ZW	Zimbabwe	
	KO KP	Democratic People's Republic of Korea	Che		s reserved for designating States (for the purposes of	
	KR	Republic of Korea	a na	itional pa	itent) which have become party to the PCT after	
区	KZ,	Kazakstan			his sheet:	
XX	LC	Saint Lucia	\boxtimes	CR	Costa Rica	
	LK	Sri Lanka	\boxtimes	DAI	Dominica	
Ι⊠	LR	Liberia				
1			:		above the applicant also makes under Rule 4.9(b) all other	

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation of a designation consists of the filing of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.)

Supplemental Box If the supplemental Box is not used, this sheet need not be included in the request.

Continuation of Box No. IV

LUZZATTO, Edgar

LUZZATTO, Esther

HACKMEY, Michal

FUERST, Zadok

PYERNIK, Moshe

MANZUROLA, Emanuel

SERUYA, Yehuda

PRICE, Eyal

SHALEV, Ronit

HACKMEY, Miriam

P.O.Box 5352 Beer-Sheva 84 152 Israel

Box No. VI PRIORITY CLAIM	4 Furti	Sheet No5 her priority claims are indicated in (the Supplementa	al Box 🔲
The priority of the following earlie				
Country (in which, of for which the application was filed)	Filing Date (day/month/year)	Application N		Office of filing (only for regional or nternational application)
item(1)	07 September 199	126112		
item(2)	(07.09.98) 26 October 1998	120112		
<u> </u>	(26.10.98)	126757		
item(3)				
Bureau a certified copy of	y be required): eby requested to prepare	and transmit to the Internationa identified above as item(s): 1,2	,	ses of the present internations
Choice of International Searching A competent to carry out the international sea Earlier Search Fill in where a search (in out or requested and the Authority is now is such search or request either by reference to Country (or regional Office):	urch, indicate the Authority chosternational, international-type of equested to base the internation	sen; the two-letter code may be used): or ther) by the International Searching A nal search, to the extent possible, on the	101 Authority has alrec results of that ear	lier search, ldentify
Box No. VIII CHECK L	IST			
	2. 2. p 2. p 2. p 3. p 4. p in any) should accompany the E OF APPLICANT OR		6. sepadep 7. nuc seq 8. othe	calculation sheet arate indications concerning osited microorganisms leotide and/or amino acid uence listing (diskette) er (specify)
	Mi	ichal Hackmey		
Date of actual receipt of the purpointernational application: Corrected date of actual receipt dutimely received papers or drawing:	e to later but	Office use only	·	2. Drawings:
the purported international applica 4. Date of timely receipt of the require corrections under PCT Article 11(2)	tion: ed			not received:
5. International Searching Authority specified by the applicant:	ISA/	6. Transmittal of search copy until search fee is paid	/ delayed	
·				
Date of receipt of the record	For International	I Bureau use only		
copy by the International Bureau:				

PATENT COOPERATION TREATY

PCT

NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

From the INTERNATIONAL BUREAU

To:

LUZZATTO, Kfir Luzzatto & Luzzatto P.O. Box 5352 84152 Beer-Sheva ISRAËL

Date of mailing (day/month/year) 16 March 2000 (16.03.00)			-
Applicant's or agent's file reference 7310-7311/WO/99			MPORTANT NOTICE
nternational application No. PCT/IL99/00483	International filing date (day/month/year) 06 September 1999 (06.09.99)		Priority date (day/month/year) 07 September 1998 (07.09.98)

 Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this Notice: AU,CN,EP,JP,KP,KR,US

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:

AE,AL,AM,AP,AT,AZ,BA,BB,BG,BR,BY,CA,CH,CR,CU,CZ,DE,DK,DM,EA,EE,ES,FI,GB,GD,GE,GH,GM,HR,HU,ID,IL,IN,IS,KE,KG,KZ,LC,LK,LR,LS,LT,LU,LV,MD,MG,MK,MN,MW,MX,NO,NZ,OA,PL,PT,RO,RU,SD,SE,SG,SI,SK,SL,TJ,TM,TR,TT,UA,UG,UZ,VN,YU,ZA,ZW
The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the applicant to furnish a copy of the international application (Rule 49.1 (a-bis)).

3. Enclosed with this Notice is a copy of the international application as published by the International Bureau on 16 March 2000 (16.03.00) under No. WO 00/14255

REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, a demand for international preliminary examination must be filed with the competent International Preliminary Examining Authority before the expiration of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19-month time limit.

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination.

REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))

If the applicant wishes to proceed with the international application in the national phase, he must, within 20 months or 30 months, or later in some Offices, perform the acts referred to therein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Authorized officer

J. Zahra

Facsimile No. (41-22) 740.14.35

Telephone No. (41-22) 338.83.38

Continuation of Form PCT/IB/308

NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL APPLICATION TO THE DESIGNATED OFFICES

IMPORTANT NOTICE
nternational application No. PCT/IL99/00483

The applicant is hereby notified that, at the time of establishment of this Notice, the time limit under Rule 46.1 for making amendments under Article 19 has not yet expired and the International Bureau had received neither such amendments nor a declaration that the applicant does not wish to make amendments.

PCT

CHAPTER II

DEMAND

under Article 31 of the Patent Cooperation Treaty:

The undersigned requests that the international application specified below be the subject of international preliminary examination according to the Patent Cooperation Treaty.

For International Preliminary Examining Authority use only					
101			•		
Identification of IPEA Date of receipt of DE		MAND			
			Applicant's or agent's file reference		
Box No. I IDENTIFICATION OF THE INTERNATIONAL APPLICATION		7310-7311/WO/99			
International application No.	International filing date (day/month/year)		(Earliest) Priority date (day/month/year)		
PCT/IL99/00483	06 September 1999		07 September 1998		
101/12/2/00/103	(06.09.99)		(07.09.98)		
Title of invention		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
REGULATION OF GENE EXP	RESSION THROU	GH MANIPULATION	OF mRNA SPLICING AND ITS		
USES					
Box No. II APPLICANT(S)					
Name and address:			Telephone No.:		
YISSUM RESEARCH DEVELO		NY OF THE			
HEBREW UNIVERSITY OF JE	KUSALEM	-	Facsimile No.:		
46 Jabotinsky Street					
Jerusalem 91042	P.O. Box 4279				
Israel					
151401		Teleprinter No.:			
State (i.e. country) of nationality: IL		State (i.e. country) of res	idence: IL		
			· · · · · · · · · · · · · · · · · · ·		
Name and address:					
KAEMPFER, Raymond					
18 Neve Shaanan Street					
Jerusalem 93707			·		
Israel					
State (i.e. country) of nationality: IL State (i.e. country) of residence: IL		idence: IL			
Name and address:					
OSMAN, Farhat		•			
Sakhnin 20173			•		
Israel			·		
State (i.e. country) of nationality: IL		State (i.e. country) of res	idence: IL		
Further applicants are indicated on	a continuation sheet.				
* *					

Sheet No. 2

International application No. PCT/IL99/00483

Continuation of Box No. II APPLICANT(S)				
If none of the following sub-boxes is used, this sheet is not to be included in the demand.				
Name and address:				
JARROUS, Nayef				
Str. 304, Home #22				
Shefaram 20200				
Israel				
State (i.e. country) of nationality: IL	State (i.e. country) of residence: IL			
State (i.e. country) of nationality. 112				
Name and address:				
BEN-ASOULI, Yitzhak				
Kfar Hanagid 206				
76875 Israel				
Israel				
State (i.e. country) of nationality: IL	State (i.e. country) of residence: IL			
Name and address:				
·				
State (i.e. country) of nationality:	State (i.e. country) of residence:			
Name and address:				
State (i.e. country) of nationality:	State (i.e. country) of residence:			
Further applicants are indicated on another continuation	n sheet.			

Form PCT/IPEA/401 (continuation sheet)(January 1994; reprint July 1996)

Sheet No. 3

International application	No
PCT/IL99/00483	

The following person is agent common representative				
and has been appointed earlier and represents the applicant(s) also for international preliminary examination.				
is hereby appointed and any earlier appointment of (an) agent(s)/common representative is hereby revoked.				
is hereby appointed, specifically for the procedure before the International Preliminary Examining Authority, in addition to the agent(s)/common representative appointed earlier.				
Name and address: Telephone No.:				
LUZZATTO, Kfir; LUZZATTO, Edgar; LUZZATTO, Esther; HACKMEY, Michal; FUERST, Zadok; PYERNIK, Moshe; MANZUROLA, Emanuel; SERLIVA Vehuda: PRICE Eval: SHALEV Ronit: HACKMEY, Miriam Facsimile No.:				
LUZZATTO & LUZZATTO				
P.O.Box 5352 Beer-Sheva 84 152 (972-7) 6497-125 Teleprinter No.:				
Israel				
Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.				
Box No. IV STATEMENT CONCERNING AMENDMENTS0				
The applicant wishes the International Preliminary Examining Authority*	-			
(i) to start the international preliminary examination on the basis of the international application as originally filed.				
(ii) to take into account the amendments under Article 34 of				
the description (amendments attached).				
the claims (amendments attached).				
the drawings (amendments attached).				
(iii) to take into account any amendments of the claims under Article 19 filed with the International Bureau (a copy is attached).				
(iv) to disregard any amendments of the claims made under Article 19 and to consider them as reversed.				
(v) to postpone the start of the international preliminary examination until the expiration of 20 months from the priority date unless that Authority receives a copy of any amendments made under Article 19 or a notice from the applicant that he does not wish to make such amendments (Rule 69.1(d)).				
* Where no check-box is marked, international preliminary examination will start on the basis of the international application as originally filed or, where a copy of amendments to the claims under Article 19 and/or amendments to the international application under Article 34 are received by the International Preliminary Examining Authority before it has begun to draw up a written opinion or the international preliminary examination report, as so amended.				
Box No. V ELECTION OF STATES				
The applicant hereby elects all eligible States except				

Sheet No. 4

International application No. PCT/IL99/00483

Box No. VI CHECK LIST						
The demand is accompanied by the following documents for the purposes of international preliminary examination:		For international Preliminary Examining Authority use only				
1. amendments under Article 34 description claims drawings 2. letter accompanying amendments under Article 34 3. copy of amendments under Article 19 4. copy of statement under Article 19 5. other (specify):	: sheets	received	not received			
	The demand is also accompanied by the item(s) marked below:					
1. Separate signed power of attorney		4. fee calculation				
2. Copy of general power of attorney 5. Other (specify): notification of bank transfer						
3. statement explaining lack of signature		AAAN DEDDECENTAT	****			
Box No. VII SIGNATURE OF APPLICA	NI, AGENI OK COM	MON KEPKESENTAT	IVE			
Zadok Fuerst						
For Intern	ational Preliminary Exa	mining Authority use only	,			
Date of actual receipt of DEMAND:			-			
Adjusted date of receipt of demand due to CORRECTIONS under Rule 60.1(b):						
3. The date of receipt of the demand is AFTER the expiration of 19 months from the priority date and item 4 or 5, below, does not apply. The applicant has been informed accordingly.						
4. The date of receipt of the demand is WITHIN the period of 19 months from the priority date as extended by virtue of Rule 80.5.						
5. Although the date of receipt of the demand is after the expiration of 19 months from the priority date, the delay in arrival is EXCUSED pursuant to Rule 82.						
For International Bureau use only						
Demand received from IPEA on:	i oi international But	caa use omy				